
RoHS

NOTES:

SPECIFICATION:

1. CURRENT RATING: 3.0A MAX
2. VOLTAGE: 5 VAC
3. TEMPERATURE RANGE: -30 °C ~ 85 °C
4. CONTACT RESISTANCE: 40 MILLIONHM MAX
5. INSULATION RESISTANCE: 100 MEGOHMS MIN.
6. INSERTION FORCE : 5N~20N
7. UNMATING FORCE: 8N~20N
8. DURABILITY: 10,000 CYCLES
9. WATER PROOFNESS:THISPRODUCTIS BASED ON IPX7.

（防水等级IPX8 1.5米深 30分钟）





NO.	DESCRIPTION	MATERIAL	REMARKS	QTY
6	防水圈	硅胶	BLACK	1PCS
5	SHELL	STAINLESS STEEL	NI Plated	1PCS
4	SHIELDING PLATE	STAINLESS STEEL	NI Plated	1PCS
3	CONTACT	COPPER ALLOY	TIN/Au/NI Plated	1SET
2	SHELL HOUSING	HIGH TEMPERATURE PLASTIC	BLACK	1PCS
1	HOUSING	HIGH TEMPERATURE PLASTIC	BLACK	1PCS

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS

UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5

DSND		SCALE: N/A
DWN		VIEW:
CHKD		UNIT: mm/in
APPD		SIZE: A4

PART NO.:

DWG NO.:


WEIGHT	SHEET	REVISION
	1/1	A0

HIEMI TECHNOLOGY CO., LTD


www.hiemi.cn

RoHS

装配前胶圈尺寸




方型型防水圈




RECOMMENDED SCHEMATIC DRAWING OF CONNECTOR MATCH CHASSIS

方型防水圈装配后过压示意图（仅供参考）

装配前胶圈尺寸



O 型防水圈



O型防水圈装配后过压示意图（仅供参考）

NOTES:
1)材质 黑色硅胶，防火等级UL 94V-0.
2)环保：无卤.
3)肖氏A硬度：60±5

MARK	DESCRIPTION	DATE	REVISED	APPROVED	ANGLAR	±5°
△X					L≤ 4	±0.2
△X					4<L≤ 16	±0.3
△X					16<L≤ 63	±0.4
					L> 63	±0.5

REVISIONS UNSPECIFIED TOLERANCES


www.hiemi.cn


HIEMI TECHNOLOGY CO., LTD


DSND		SCALE: N/A	TYPE-C 6P/16P防水圈 方型/O型
DWN		VIEW:	PART NO.: 72216-400
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0

RoHS







NOTE:
1.QUANTITY:600 PCS/RELL,6600PCS/CARTON.

注意:
1.材料:
纸箱:纤维板，瓦楞，双层壁。
胶带:聚苯乙烯，耐热温度:120℃，白。
卷筒:聚苯乙烯，耐热温度:70℃，蓝色。
包装:聚乙烯，耐热温度:100℃。
2.剥离强度:0.1 ~ 1.3 N(10 ~ 130克)
3.脱皮速度:300mm /min。
4.每个袋子都应包括干燥剂*1。
5.外箱上贴号物料标签及RoHS标签
6.同一产品只能装同一纸箱，不允其它产品;
7.包装后，产品铆合面朝内;

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS

UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5

DSND		SCALE: N/A	TYPE-C 6P/16P防水圈 方型/O型
DWN		VIEW:	PART NO.: 72216-400
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0

www.hiemi.cn

HIEMI TECHNOLOGY CO., LTD