





B12	GND
B9	VBUS
B5	CC2
A5	CC1
A9	VBUS
A12	GND
PIN	SIGNAL NAME










TOLERANCE UNSPECIFIED ±0.05



SPECIFICATION:

1. Material & Finish:See the list
2. Mechanical:
   - 2.1.Mating force:5-20N
   - 2.2.Unmating force:Initial:8-20N;Final:6-20N
   - 2.3.Durability:10000 Cycles
3. Electrical:
   - 3.1.Current Rating:
     VBus Pins:3A, Vconn Pin:1.25A, Other Pins:0.25A
   - 3.2.Voltage Rating:30V Max.;
   - 3.3.Dielectric Withstanding volage:100Vac,60S,10mA
   - 3.4.Contact resistance:40m Ohms Max.;
   - 3.5.Insulation Resistance:100M Ohms Min.
4. Environmental:
   - 4.1.Operating temperature:-40°C~+85°C;
   - 4.2.Salt Spray Test:48H Min.(No oxidation or rust)
   - 4.3.Wetting Temperature:265±5°C,5±0.5s
   - 4.5.Waterproof Level:IPX8

NO.				
NO.	DESCRIPTION	MATERIAL	REMARKS	QTY
1	MD PLASTIC	LCP E130I	BLACK,UL94V_0	1PCS
2	CONTACT	BRASS,H65,T=0.20mm.	TIN:80~150u"/Ni*Au/50~120u Nickel Plated	1SET
3	护套	PA46	UL 94V-0 BLACK	1PCS
4	SHELL	SUS 304-H,T=0.30mm.	NICKEL 50u" Plated	1PCS
NO.	防水圈	硅胶	BLACK,UL94V_0,肖氏A硬度65±5	1PCS

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS


UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5

www.hiemi.cn


HIEMI TECHNOLOGY CO., LTD

DSND		SCALE: N/A	TYPE-C 6pin 板上带钩有柱防水（全点胶款）
DWN		VIEW:	PART NO.: 82206-139
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	


WEIGHT	SHEET	REVISION
	1/1	A0



防水圈组装示意图



CAP组装示意图






					ANGLAR	±5°
△X					L≤ 4	±0.2
△X					4<L≤ 16	±0.3
△X					16<L≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5
REVISIONS					UNSPECIFIED TOLERANCES	


www.hiemi.cn


DSND		SCALE: N/A	TYPE-C 6pin 板上带钩有柱防水（全点胶款）
DWN		VIEW:	PART NO.: 82206-139
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

HIEMI TECHNOLOGY CO., LTD

WEIGHT	SHEET	REVISION
	1/1	A0







NOTE:
1. QUANTITY:300 PCS/RELL,
2. 11RELL/CARTON.
3. 3300PCS/CARTON

注意:
1.材料:
纸箱:纤维板，瓦楞，双层壁。
胶带:聚苯乙烯，耐热温度:120℃，白。
卷筒:聚苯乙烯，耐热温度:70℃，蓝色。
包装:聚乙烯，耐热温度:100℃。
2.剥离强度:0.1 ~ 1.3 N(10 ~ 130克)
3.脱皮速度:300mm /min。
4.每个袋子都应包括干燥剂*2。
5.外箱上贴号物料标签及RHOS标签
6.同一产品只能装同一纸箱，不允其它产品;

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS

UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5

www.hiemi.cn

HIEMI TECHNOLOGY CO., LTD

DSND		SCALE: N/A	TYPE-C 6pin 板上带钩有柱防水包装图
DWN		VIEW:	PART NO.: 82206-139
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0