







SECTION B-B
SCALE 1:1





SECTION A-A
SCALE 1:1


NOTES:
1.MECHANICAL:
MATING:5~20N.
WITHDRAWAL:8~20N
DURABILITY:10000 CYCLES.
2.ELECTRICAL:
CURRENT:5A MAX
VOLTAGE:30V MAX
WITHSTANDING VOLTAGE:100V AC
CONTACT RESISTANCE:40mΩ MAX(Initial) ,50mΩ MAX(TEST AFTER)
INSULATION RESISTANCE:100MΩ MIN
3.Raw material:
HOUSING:Thermoplastics (LCP E130i) Black
TERINNAL:Copper alloy(C7025),T0.12mm
MIDDEL SPRING:Stainless steel(SUS304),T0.10mm
SHELL:Stainless steel(SUS304),T0.30mm
4.Surface Coating :
TERINNAL:Au 3u'' MIN
SHELL:Ni 50u'' MIN
FRONT SPRING:Ni 50u'' MIN
5.ENVIRONMENTAL:
TEMPERATURE RANGE:-30°C ~ +85°C











RECOMMENDED P.C.B. LAYOUT (T:1.00mm)
TOLERANCE UNSPECIFIED ±0.05mm
SCALE: 1:1

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS

UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5


www.hiemi.cn


HIEMI TECHNOLOGY CO., LTD

DSND		SCALE: N/A	
DWN		VIEW:	PART NO.: TYPE-C 母座 16PIN 直立式10.5
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0


出料方向
PULL OUT DIRECTEON





NOTES

1.帶子引導長度
LEAD TAPE LENGTH
出料方向
PULL OUT DIRECTEON



2. 出貨'運輸過程中一定注意:
THIS REQUIREMENT SHOULD BE APPLIED AT SHIPMENT:
卷帶在運輸過程中不能散開
PEELING OFF SHOULD NOT BE ALLOWED DURING TRANSPORTATION

NOTE:
1.QUANTITY:450 PCS/RELL,2250PCS/CARTON.

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS


UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5

www.hiemi.cn

HIEMI TECHNOLOGY CO., LTD


DSND		SCALE: N/A	
DWN		VIEW:	PART NO.: TYPE-C 母座 16PIN 直立式10.5
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0



at small positioning hole of the carrier tape side).
標簽黏貼處 (朝捲裝包材的小定位孔一側)

Location of label sticking (label



NOTE:

1.每捲包裝數量及每箱裝箱數量如左下表格.
Packing q'ty of each reel & carton as below table shown.

2.以上膠帶覆蓋下包裝帶經包裝機熱熔包裝
Use cover tape to cover and hot melt machine to seal up.

3.每個紙箱放2個珍珠棉
Every carton use 2pcs EPE.

4.將裝滿產品的卷盤放入紙箱并以膠帶封口
Put reels in the carton and use adhesive tape to seal up.

MARK	DESCRIPTION	DATE	REVISED	APPROVED
△X				
△X				
△X				

REVISIONS

UNSPECIFIED TOLERANCES	
ANGLAR	±5°
L≤ 4	±0.2
4<L≤ 16	±0.3
16<L≤ 63	±0.4
L> 63	±0.5

www.hiemi.cn

HIEMI TECHNOLOGY CO., LTD

DSND		SCALE: N/A	
DWN		VIEW:	PART NO.:
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0