
RoHS





■ SPECIFICATIONS

- Voltage rating: 250V AC, DC
- Current rating: 5A, AC, DC
- Withstanding Voltage: 1500V AC/minute
- Insulation resistance:1000MΩ min
- Temperature range: -25° C~+85° C

■ HOUSING

- Part No.: H3021-12+4P-V0BKHFLB
- Poles : 12+4P
- Housing Material: PA66 UL94V-0 Black,HF
- The Dimension Marked "▼" Must Be Recorded





					ANGLAR	±5°
ΔX					L≤ 4	±0.2
ΔX					4<L≤ 16	±0.3
ΔX					16<L≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5
REVISIONS					UNSPECIFIED TOLERANCES	


www.hiemi.cn

HIEMI TECHNOLOGY CO., LTD

DSND		SCALE: N/A	Molex 3.00mm Male or 2.0 长背Housing Connector Series
DWN		VIEW:	PART NO.: H3021-12+4P-V0BKHFLB
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

WEIGHT	SHEET	REVISION
	1/1	A0

RoHS




■ SPECIFICATIONS


- Voltage rating: 250V AC, DC
- Current rating: 9.2A, AC, DC
- Withstanding Voltage: 1500V AC/minute
- Temperature range: -25° C~+85° C
- Contact resistance: 20mΩ max

■ TERMINAL


- Part No.: T3030GDT-GJ-M2
- Applicable wire: AWG#16-AWG#18
- Material: High Conductivity Copper
- Finish: Tin-Plated
- The Dimension Marked "▼" Must Be Recorded



SECTION: A-A



SECTION: B-B



SECTION: C-C

					ANGLAR	±5°
ΔX					L≤ 4	±0.2
ΔX					4<L≤ 16	±0.3
ΔX					16<L≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5
REVISIONS					UNSPECIFIED TOLERANCES	


www.hiemi.cn


DSND		SCALE: N/A	Molex 3.00mm Female Terminal Connector Series
DWN		VIEW:	PART NO.: T3030GDT-GJ-M2
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	


HIEMI TECHNOLOGY CO., LTD

WEIGHT	SHEET	REVISION
	1/1	A0

RoHS









■ SPECIFICATIONS

- Voltage rating: 250V AC, DC
- Current rating: 1A, AC, DC
- Withstanding Voltage: 1500V AC/minute
- Temperature range: -25° C~+85° C
- Contact resistance: 20mΩ max
- Retention Force: 1.0Kg Min


■ TERMINAL

- Part No.: T2021PX
- Applicable wire: AWG#28,OD:0.94mm
- Material: Phosphor Bronze
- Finish: Tin-Plated
- The Dimension Marked "▼" Must Be Recorded





SECTION: B-B



SECTION: A-A

Part No.:
T2021P X

Finish:
None: Tin-Plated
Ⓒ G1SN: 1u" Gold-Plated(Contact area),
Tin-Plated(Other area)

					ANGLAR	±5°
ΔX					L≤ 4	±0.2
ΔX					4<L≤ 16	±0.3
ΔX					16<L≤ 63	±0.4
MARK	DESCRIPTION	DATE	REVISED	APPROVED	L> 63	±0.5
REVISIONS					UNSPECIFIED TOLERANCES	

www.hiemi.cn

DSND		SCALE: N/A	2.00mm Female Terminal Connector Series
DWN		VIEW:	PART NO.: T2021PX
CHKD		UNIT: mm/in	DWG NO.:
APPD		SIZE: A4	

HIEMI TECHNOLOGY CO., LTD

WEIGHT	SHEET	REVISION
	1/1	A0